## Schedule

Exhibition Dates March 18 (Mon.) March 19 (Tue.)

2013	March 17 (Sun.)	March 1	18 (Mon.)	March 1	9 (Tue.)
	Room 402+403	Room 501	Room 502+503	Room 501	Room 502+503
8:30					
9:00		Opening Remark	1	P-3.	
		P-1.		James K. Gimzewski	
9:30		Karl Leo		Break (10 min)	
		Break (10 min.)			
10:00		E-I1. Masahiro Hiramoto	B–I1. Kookheon Char	D-I1. Bo Liedberg	A–I2. Kazuo Takimiya
10:30		E-I2. Lain-Jong Li	B-I2. Xiaogang Liu	D-I2. Ki-Hun Jeong	A−I3. Tsuyoshi Sekitani
11:00		E O1 Tetrobile Mindon	B-01. Yoshihiko Kanemitsu	Break (10 min) D-01. Kazuaki Furukawa	Break (10 min) A-O7. Hirotake Kajii
11:00		E-O1. Tetsuhiko Miyadera			-
11.00		E-O2. Zhiping Wang	B-O2. Hiroyuki Naiki	D-O2. Ayumi Hirano-Iwata	A-O8. Daisuke Tadaki
11:30		E-O3. Tatsuo Mori	B-O3. Koichi Okamoto	D-O3. Ryugo Tero	A-O9. Hiroaki Iino
		E-O4. Toshihiro Yamanari	B-O4. Yasuro Niidome	D-O4. Hiroki Nose	A-O10. Kazuhiro Kudo
12:00		Li	unch	Lin	nch
12:30		Luncheon Semin	ar (Room 502+503)	Luncheon Semina	r (Room 502+503)
13:00					
		P-2.		Poster	Session
13:30		James R. Durrant		A-P1~	-A-P48
		Break (10 min)		B-P1~	-B-P36
14:00		E–I3. Yasuhiro Tachibana	B−I3. Jean C. Ribierre	D-P1~	-C-P17 -D-P24 -E-P30
		E-O5. Akihiro Furube			
14:30		E-O6. Akinori Saeki	B-I4. Pooi S. Lee	D−I3. Masaru Tanaka	C−I2. Hideo Takezoe
		Break (10 min)	Break (10 min)		
15:00		E-O7. Hiroyuki Yohida	B-O5. Pangpang Wang	D−I4. Motomu Tanaka	C−I3. Jun−ichi Fukuda
	Satellite Meeting (in Japanese) &	E-O8. Ryoji Maeda	B-O6. Takahiro Kaji		
15:30	Registration	E-O9. Hiroshi Ito	B-O7. Toshiki Yamada	Break (10 min) D-05. Takuya Iida	Break (10 min) C-05. Masahiro Funahashi
		E-O10. Kazuhiko Seki	B-08. Takashi Isoshima	D-O6. Nobuo Misawa	C-O6. Hiroshi Moritake
16:00		Break (10 min)	Break (10 min)	D-O7. Makito Haruta	C-O7. Tatsunosuke Matsui
10.00		C-I1. Roberto Lazzaroni	A–I1. Cheolmin Park	D-O8. Hiroki Ishihara	C-O8. Yusuke Nagai
16:30		E-011. Makoto Karakawa	A-O1. Yasuo Nakayama	Break (10 min)	Break (10 min)
17.05		E-012. Kazuya Tada	A-O2. Ryosuke Matsubara	B-09. Hiroaki Usui	A-011. Akira Baba
17:00		C-O1. Fabrice Mathevet	A-O3. Fumito Tani	B-010. Peter Warnicke	A-012. Palanisamy Kumar
17.00		C-O2. Hafiz A. Haque	A-O4. Toyokazu Yamada	B-011. Yasutaka Kuzumoto	A-O13. Jing You
17:30		C-O3. Kei Fukuhara	A-O5. Shu-Jung Tang	B-O12. Hideaki Takaku	A-O14. Yutaka Noguchi
10.00		C-O4. Masami Sano	A-O6.Masakazu Nakamura	Break (10 min)	Break (10 min)
18:00				Closing Remark	
10.00					
18:30					
10.55	Welcome Party at				
19:00	1F, restaurant RACONTER				
19:30		Banquet a	at Aquarium		
		MARINE WORL	D uminonakamichi		
20:00					
20:30					

### Sunday, March 17, 2013

13:15 – 17:45 Registration (at Room402+403)

13:15 – 17:45 Satellite Meeting (at Room402+403)
(Japanese language only)

**18:00–20:00** Welcome Party at 1F, restaurant RACONTER

# Monday, March 18, 2013 [ Room 501 ]

9:00 – 9:10	Opening Remark Kaoru Tamada (Kyushu University, Japan)	
9:10 - 9:50	Plenary Lecture	
<b>P-1</b> 9:10 - 9:50	Highly Efficient Organic Devices	
9.10 - 9.30	· ·	42
	9:50 – 10:00 Short Break	
10:00 – 12:00	Session E (Special Session: Organic Photovoltaics)	
E-I1		
10:00 - 10:30	Bandgap Science for Organic Thin-Film Solar Cells <u>Masahiro Hiramoto</u> (IMS, Japan)	43
E-I2		
10:30 - 11:00	Application of Two-Dimensional Layers in Organic Solar Cells <u>Lain-Jong Li</u> (IAMS, Academia Sinica, Taiwan)	44
E-O1		• . •
11:00 - 11:15	Wide-Wavelength-Range Operation of Organic Photovoltaic Cells Near Infrared Absorption of Vanadyl Phthalocyanine	
E 02	<u>Tetsuhiko Miyadera</u> (AIST, Japan)	45
E-O2 11:15 - 11:30	Polymorphic Control of Zinc Phthalocyanine for Organic Photovoltaic Zhiping Wang (AIST, Japan)	Cell 46
E-O3		
11:30 - 11:45	A Study of the Spray Coating for Organic Photovoltaic Cells <u>Tatsuo Mori</u> (Aichi Institute of Technology, Japan)	47
E-O4		
11:45 - 12:00	Effect of Oxygen on the Deterioration of Polymer-Based Organic Cells	Sola
	<u>Toshihiro Yamanari</u> (AIST, Japan)	48

13:00 – 13:40	Plenary Lecture
<b>P-2</b> 13:00 - 13:40	Charge Carrier Dynamics in Organic Solar Cells  James R. Durrant (Imperial College London, United Kingdom) 49
	13:40 – 13:50 Short Break
13:50 – 16:00	Session E (Special Session: Organic Photovoltaics)
E-I3	
13:50 - 14:20 <b>E-O5</b>	Kinetically Optimized Quantum Dot Sensitized Solar Cells <u>Yasuhiro Tachibana</u> (RMIT University, Australia) 50
14:20 - 14:35	Ultrafast Spectroscopy and Numerical Analysis of Inhomogeneous Electron Injection in Dye-Sensitized Solar Cells  Akihiro Furube (AIST, Japan) 51
E-O6	Akihiro Furube (AIST, Japan) 51
14:35 - 14:50	A Versatile Approach to Organic Photovoltaics Evaluation Using White Light Pulse and Microwave Conductivity <u>Akinori Saeki</u> (Osaka University, Japan) 52
	14:50 – 15:00 Short Break
<b>E-O7</b>	
15:00 - 15:15	New Experimental Method to Precisely Determine the LUMO Levels of Organic Semiconductors and Application to the Fullerene Derivatives Hiroyuki Yoshida (Kyoto University, Japan) 53
E-O8	
15:15 - 15:30	In-Situ Measurement of Photoconductivity of Multi-Layered Organic Photovoltaic Device by Impedance Spectroscopy
E-O9	Ryoji Maeda (Idemitsu Kosan Co.,Ltd., Japan) 54
15:30 - 15:45	Photocarrier Recombination of Polymer/Fullerene Composites in Surface-Type Photocells
E-O10	<u>Hiroshi Ito</u> (Nagoya University, Japan) 55
15:45 <b>-</b> 16:00	Influence of Energetic Disorder on Bulk Recombination in Organic Bulk Heterojunction Solar Cells under Continuous Light Irradiation
	<u>Kazuhiko Seki</u> (AIST, Japan) 56

### 16:00 – 16:10 Short Break

16:10 – 18:10	Session C (Liquid Crystals, Polymers and Other Soft Materials) Session E (Special Session: Organic Photovoltaics)
C-I1	
16:10 - 16:40	Organic Semiconducting Nanostructures via Conjugated Polymer Self-Assembly
	Roberto Lazzaroni (Univ. Mons, Belgium) 57
E-O11	
16:40 - 16:55	Synthesis and Characterization of New Red-NIR Absorption Materials
	Containing Thienopyorrolidone for Organic Photovoltaics
	Makoto Karakawa (Osaka University, Japan) 58
E-O12	
16:55 - 17:10	Optimization of Photovoltaic Devices Based on Poly(3-hexylthiophene)/C <sub>60</sub>
	Bulk Heterojunction Composites Prepared with Halogen-Free Solvent
	<u>Kazuya Tada</u> (University of Hyogo, Japan) 59
C-O1	
17:10 - 17:25	Liquid crystal homo and alternating (co)polymers based on pi-conjugated
	backbone for organic electronics
	<u>Fabrice Mathevet</u> (CNRS, France) 60
C-O2	
17:25 - 17:40	Photo-responsive Liquid Crystalline Brush Unveiled by Surface-initiated
	Ring Opening Metathesis Polymerization
	Hafiz A. Haque (Nagoya University, Japan) 61
C-O3	
17:40 - 17:55	Alignment Control of Liquid Crystal and Block Copolymer Domains via a
	Segregated Free Surface Layer
G 0.4	Kei Fukuhara (Nagoya University, Japan) 62
C-O4	
17:55 - 18:10	Hierarchical Photoorientation Behaviors in Liquid crystalline Azobenzene Block Copolymer Thin Film
	Masami Sano (Nagoya University, Japan) 63

19:00 – 20:30 Banquet at Aquarium

## Monday, March 18, 2013 [ Room 502 + 503 ]

10:00 - 16:00	Session B (Fabrication Technique and Characterization)	
B-I1		
10:00 - 10:30	Structural Design and Engineering of Semiconductor Nanocrystals for Efficient Optoelectronic Devices	
	Kookheon Char (Seoul National University, Korea)	. 64
B-I2		
10:30 - 11:00	Upconversion Nanocrystals: A New Class of Luminescent Bioprobes <u>Xiaogang Liu</u> (National University of Singapore, Singapore)	. 65
B-O1		
11:00 - 11:15	Exciton Decay Dynamics in Hole-Doped Single-Walled Carbon Nanotuk Yoshihiko Kanemitsu (Kyoto University, Japan)	es . 66
<b>B-O2</b>		
11:15 - 11:30	Highly Controlled Single-Photon Emission from Metal-Quantum Nanostructures	Dot
	<u>Hiroyuki Naiki</u> (Tohoku University, Japan)	. 67
<b>B-O3</b>		
11:30 - 11:45	Nano-Interface Photonics tuned by Metal Nanograin and Nanoparticle S Structures	heet
	Koichi Okamoto (Kyushu University, Japan)	. 68
<b>B-O4</b>		
11:45 - 12:00	Spectroscopic Properties of Silver-Shelled Gold Nanorods	
	Yasuro Niidome (Kyushu University, Japan)	. 69
	12:00 – 13:00 Lunch & Luncheon Seminar	
B-I3		
13:50 - 14:20	Charge transport and exciton diffusion in quinoidal oligothiophene films	thin
	<u>Jean C. Ribierre</u> (Ewha Womans University, Korea)	. 70
<b>B-I4</b>		
14:20 - 14:50	Recent Advances in Ferroelectric Polymer Electronics	
	Pooi S. Lee (Nanyang Technological University, Singapore)	. 71

### 14:50 – 15:00 Short Break

B-O5		
14:20 - 14:35	Nanopatterning on silver nanoparticles monolayer using AFM looxidation nanolithography  Pangpang Wang (Kyushu University, Japan)	ocal 72
<b>B-O6</b>		
14:35 - 14:50	Control of spontaneous emission from single molecules in a photonic b gap of a two-dimensional photonic crystal slab <u>Takahiro Kaji</u> (NICT, Japan)	and 73
<b>B-O</b> 7		
15:00 - 15:15	Development of characterization techniques of electro-optic polymers <u>Toshiki Yamada</u> (NICT, Japan)	74
<b>B-O8</b>		
15:15 - 15:30	Asymmetric dice model for elucidation of spontaneous polar molectorientation of tris(8-hydroxyquinolinato) aluminum(III) (Alq <sub>3</sub> ) derivative Takashi Isoshima (RIKEN, Japan)	
	16:00 – 16:10 Short Break	
16:10 – 18:10	Session A (Organic Devices and Molecular Electronics)	
A-I1		
16:10 - 16:40	High Performance Non-volatile Ferroelectric Polymer Memories with F Effect Transistor Architectures	
	<u>Cheolmin Park</u> (Yonsei University, Korea)	76
A-O1		
16:40 - 16:55	Electronic structures of the pentacene single crystal and its hetero-interfa Yasuo Nakayama (Chiba University, Japan)	ce 77
A-O2		
16:55 - 17:10	Crystal structures and mobility limiting factors of pentacene thin fi grown on mica surfaces Ryosuke Matsubara (Nara Institute of Science and Technology, Japan)	
A-O3		
17:10 - 17:25	Supramolecular Structures and Photoelectronic Properties of Inclus Complexes of Cyclic Porphyrin Dimers and Fullerenes	sion
		79
A-O4		
17:25 - 17:40	Single molecular spintronics: magnetoresistance through a single molecu <u>Toyokazu Yamada</u> (Chiba University, Japan)	le 80

A-O5		
17:40 - 17:55	Interfacial properties at the organic/metal interface probed quantum-well states	using
	Shu-Jung Tang (National Tsing Hua University, Taiwan)	81
A-O6		
17:55 - 18:10	Giant Thermoelectric Effect in Thin Films of Pure C60 Fullerene	
	Masakazu Nakamura (Nara Institute of Science and Technology, Japan	ı) 82
		62
	19:00 – 20:30	

# <u>Tuesday, March</u> 19, 2013 <u>[ Room 501 ]</u>

9:00 – 9:40	Plenary Lecture	
P-3		
9:00 - 9:40	Biologically Inspired Self-organized Brain-like Networks exhibiting Phenomena	g Critical
	James K. Gimzewski (UCLA and NIMS, USA)	83
	9:40 – 9:50 Short Break	
9:50 – 12:00	Session D (Biomolecular Electronics and Bioanalysis)	
D-I1		
9:50 - 10:20	Switchable Nanomaterials for Bioanalytical Applications : A S Polypeptide Approach	•
D-I2	Bo Liedberg (Nanyang Technological University, Singapore)	84
10:20 - 10:50	Nanobioplasmonics: Step into Highly Intense SERS <u>Ki-Hun Jeong</u> (KAIST, Korea)	85
	10:50 – 11:00 Short Break	
D-O1		
11:00 - 11:15	Stability and Sensitivity of Supported Lipid Bilayer Microa Biological Molecule Detection	ırray for
	Kazuaki Furukawa (NTT Corporation, Japan)	86
D-O2		
11:15 - 11:30	A Chip-Based Stable Lipid Bilayer for Recording Activities of B Channels	iological
	Ayumi Hirano-Iwata (Tohoku University, Japan)	87
<b>D-O3</b>		
11:30 - 11:45	Supported Lipid Bilayer for a Platform of Two Dimensional Asse F-BAR Domain Proteins	embly of
	Ryugo Tero (Toyohashi University of Technology, Japan)	88
<b>D-O4</b>		
11:45 - 12:00	•	-
	<u>Hiroki Nose</u> (University of Hyogo, Japan)	89

#### 

## 13:00 –14:30 Poster Session (at the Corridor of the 5th floor) P-A1 ~P-A47, P-B1 ~P-B36 P-C1 ~P-C17, P-D1 ~P-D23, P-E1 ~P-E31

14:30 – 15:30	Session D (Biomolecular Electronics and Bioanalysis)	
D-13		
14:30 - 15:00	Control of Human Cancer Cell Behavior using Biocompatible Polymon Masaru Tanaka (Yamagata University, Japan)	ers 90
D-I4		
15:00 - 15:30	Connecting Soft, Biomatter and Solid Based Devices: Biofunctiona of III-V Semiconductors	lization
	Motomu Tanaka (University of Heidelberg, Germany)	91
	15:30 – 15:40 Short Break	
D-O5		
15:40 - 15:55	Theory of biomimetic optical screening of nanoparticles under fluctuations	thermal
D 0/	<u>Takuya Iida</u> (Osaka Prefecture University, Japan)	92
D-O6		. 1
15:55 - 16:10	Combined System of a Fluidic Channel and Electrodes of Two-El Voltage Clamping for <i>Xenopus Laevis</i> Oocytes	ectrode
	Nobuo Misawa (Toyohashi University of Technology, Japan)	93
<b>D-O</b> 7		
16:10 - 16:25	Intrinsic Optical Signal Imaging Based on Blood Flow with a Bior Photonic LSI	medical
	Makito Haruta (NAIST, Japan)	94
<b>D-O8</b>		
16:25 - 16:40	A Study for DNA Polymerization Detection Using FET-Based Potential Sensor with Gold Electrode	Redox
	Hiroki Ishihara (Nagoya University, Japan)	95

16:40 – 16:50 Short Break

16:50 – 17:50	Session B (Fabrication Technique and Characterization)
B-O9	
16:50 - 17:05	Control of Inorganic/Organic Interface by use of a Reactive SAM
	Hiroaki Usui (Tokyo Univ. Agricul. & Technol., Japan) 96
B-O10	
17:05 - 17:20	Nanocharacterization of organic semiconductor materials using x-ray microspectroscopy
	Peter Warnicke (Paul Scherrer Institut, Switzerland) 97
B-O11	
17:20 - 17:35	Partially Fluorinated Copper Phthalocyanine toward Band Engineering for High-Efficiency Organic Photovoltaics
	<u>Yasutaka Kuzumoto</u> (Kobe University, Japan) 98
B-O12	
17:35 - 17:50	Organic p-i-n Photovoltaic Devices Fabricated by Electrospray Deposition
	(ESD) with P3HT Colloids Dispersed in Water
	Hideaki Takaku (RIKEN, Japan) 99

17:50 – 18:00 Short Break

18:00 – 18:10 Closing Remark

# <u>Tuesday, March</u> 19, 2013 <u>[ Room 502 + 503 ]</u>

9:50 - 12:00	Session A (Organic Devices and Molecular Electronics)	
A-I2		
9:50 - 10:20	Semiconductors for Organic Transistors and Solar Cells	Organic
A-I3	Kazuo Takimiya (Hiroshima University, Japan)	100
10:20 - 10:50	1.2- $\mu$ m-thick Organic Active Matrix Circuits for Bio-Medical Applie	cations
	Tsuyoshi Sekitani (University of Tokyo, Japan)	101
	10:50 – 11:00 Short Break	
<b>A-O7</b>		
11:00 - 11:15	Solution-processed highly efficient green phosphorescent light-emitting diodes utilizing small molecular carbazole derivative <u>Hirotake Kajii</u> (Osaka University, Japan)	organic 102
A-O8	======================================	
11:15 - 11:30	Fabrication of Organic Thin Film Transistors using F4TCNQ-doped I Electrodes	Layer as
	<u>Daisuke Tadaki</u> (Tohoku University, Japan)	103
A-O9		
11:30 - 11:45	Improved Fabrication of Polycrystalline Thin Films of Liquid Cry Organic Semiconductors for FET Applications	stalline
	<u>Hiroaki Iino</u> (Tokyo Inst. Tech., Japan)	104
A-O10		
11:45 - 12:00	Step-Edge Vertical-Channel Organic Transistors for Flexible Information	rmation
	<u>Kazuhiro Kudo</u> (Chiba University, Japan)	105

#### 

## 13:00 –14:30 Poster Session (at the Corridor of the 5th floor) P-A1 ~P-A48, P-B1 ~P-B36 P-C1 ~P-C17, P-D1 ~P-D24, P-E1 ~P-E30

14:30 – 16:40	Session C (Liquid Crystals, Polymers and Other Soft Materials)	
C-I2		
14:30 - 15:00	Ferroelectric Columnar Liquid Crystal for High Density Memory Dev <u>Hideo Takezoe</u> (Tokyo Inst. Tech., Japan)	vice 106
C-I3		D1
15:00 - 15:30	Simulation of Cholesteric Blue Phase Liquid Crystal Cells under an Field	
	Jun-ichi Fukuda (AIST, Japan)	107
	15:30 – 15:40 Short Break	
C-05		
15:40 - 15:55	Oligosiloxane Moieties	Bearing
C-O6	Masahiro Funahashi (Kagawa University, Japan)	108
15:55 - 16:10	Improvement of Response Time in Coplanar Waveguide Type Mic Phase Shifter using Polymer-Stabilized Nematic Liquid Crystal	crowave
~ ~ ~	Hiroshi Moritake (National Defense Academy, Japan)	109
<b>C-O7</b> 16:10 - 16:25	EDTD Analysis of Congretion of Photonic Nancists from Liquid	Cractal
10.10 - 10.23	FDTD Analysis of Generation of Photonic Nanojets from Liquid Microcylinder	-
C-O8	<u>Tatsunosuke Matsui</u> (Mie University, Japan)	110
16:25 - 16:40	Laser Emission from Dye-Doped Nematic Liquid Crystal Emulsions Yusuke Nagai (Tokyo Inst. Tech., Japan)	111
	16:40 – 16:50 Short Break	
16:50 – 17:50	Session A (Organic Devices and Molecular Electronics)	
A-O11		
16:50 - 17:05	Enhanced Photocurrent Properties of Dye/Metal-loaded TiO <sub>2</sub> Fi Grating-coupled Surface Plasmon Excitation	lms by
	Akira Baba (Niigata University, Japan)	112
A-O12		
17:05 - 17:20	Improving the Photovoltaic Parameters of Organic Solar Cell using Copper Pthalocyanine Nano Particles as a Buffer Layer	Soluble
A 012	Palanisamy Kumar (Aichi Institute of Technology, Japan)	113
<b>A-O13</b> 17:20 - 17:35	Size Effects of Silver Nanoparticles on the Enhancement of Photo	electric
0 17.00	Conversion in Polythiophene-fullerene Thin Films	
	Jing You (Kyushu University, Japan)	114

### A-014

17:35 - 17:50 Photoinduced responses in a dye-doped gold nanoparticle single-electron device

Yutaka Noguchi (Chiba University, Japan) ... 115

17:50 – 18:00 Short Break

18:00 – 18:10 Closing Remark at Room501

### Poster Presentations (at the Corridor of the 5th floor)

### 13:00 -14:30, Tuesday, March 19, 2013

### **Session A (Organic Devices and Molecular Electronics)**

A-P1 Shigeaki Obata (Toyohashi University of Technology, Japan)	
Molecular Arrangements in Organic Semiconductors: Theoretical Prediction of Crystal Structures 1	118
Structures	.10
A-P2 Yukihiro Tominari (NICT, Japan)	
Investigation of surface morphological properties of functional polymer thin films under	
heating process by AFM 1	19
A-P3 Meng-Kai Lin (National Tsing Hua University, Taiwan)	
Interfacial properties at the organic-metal interface probed using quantum well states 1	.20
A-P4 Keiichirou Yonezawa (Chiba University, Japan)	
Impact of intermolecular polar bond on electronic states at organic donor/accepter	
heterojunction 1	.21
A-P5 Shuji Watanabe (Yamagata University, Japan)	
Vibrational properties of thiophene/phenylene co-oligomers: DFT calculation and vibration	
spectroscopy 1	.22
A-P6 Yasunari Tamai (Kyoto University, Japan)	
Non-Diffusion Limited Singlet Exciton Annihilation in Fluorene-Amine Copolymer Films 1	
A-P7 Senku Tanaka (Shimane University, Japan)	
Photoelectron emission from organic thin films with silver deposition under near-UV light	
irradiation 1	.24
A-P8 <u>Fumio Sasaki</u> (AIST, Japan)	
Processing Condition Dependence of Time-Resolved Photoluminescence in	
Thiophene/Phenylene Co-oligomers Microcavities 1	.25
A-P9 Hiroaki Yonemura (Kyushu University, Japan)	
Magnetic Field Effects on Photoelectrochemical Reactions of Electrodes Modified with Th	nin
Films consisting of Conductive Polymers 1	26

A-P10 <u>Takaaki Kurita</u> (Kobe University, Japan)
Effect of Film Thickness on the Pyroelectric Response of Free-standing Poly(vinylidene fluoride/trifluoroethylene) Copolymer Films 127
127
A-P11 Ken Tokunaga (Kogakuin University, Japan)
A Theoretical Study on Electron Transfer in $[3_2](1,4)$ -Cyclophane 128
<b>A-P12</b> Naoya Matsui (Osaka Kyoiku University, Japan)
Reversible current injection switching based on photoisomerization of a diarylethene crystal
film 129
A-P13 Teahoon Park (Yonsei University, Korea)
Control of oxidation level for flexible thermoelectric films of poly(3,4-ethylene
dioxythiophene) 130
A-P14 Xuepeng Mo (Tokyo Tech, NICT, Japan)
Evaluation of Thermal Stability of Organic Electro-optic Polymer by Thermally Stimulated
Current Measurement 131
A-P15 <u>Takashi Fujihara</u> (RIKEN, Japan)
Acceleration of photorefractive grating formation speed triggered by a step-function electric
field 132
A-P16 Yoshihide Fukaya (Kyoto Institute of Technology, Japan)
Spectrally-narrowed emissions from organic crystals mounted on transfer-printed parylene
diffraction gratings 133
A-P17 Atsuo Sadakata (Tokyo Institute of Technology, Japan)
Role of accumulated interfacial charge in ITO/ $\alpha$ -NPD/Alq <sub>3</sub> /Al diodes under two
electroluminescence operational modes 134
A-P18 Shouhei Miyata (Kyushu University, Japan)
Improvement of the luminance by the addition of alkanethiol in Double-insulated AC-driven
Organic Electroluminescence devices 135
A D10 lie Li (Venschy Haisymeiter Longo)
<b>A-P19</b> <u>Jie Li</u> (Kyushu University, Japan) Highly efficient organic light-emitting diodes based on heptazine derivatives through hidden
thermally activated delayed fluorescence channel 136
A D20 Complete Law (VITECH Vanne)
A-P20 Sungkoo Lee (KITECH, Korea)  Highly efficient phosphorescent light-emitting diodes by using new host material

A-P21 Masahiro Konishi (Osaka University, Japan)	
Insertion effect of buffer layer at the interface between anode and hole transporting layer	yer for
the improvement of device lifetime in organic light-emitting devices	138
<b>A-P22</b> <u>Tatsuro Yamamoto</u> (Osaka University, Japan) Insertion effect of solution-processed Cs2CO3 and thermally evaporated CsF buffer la the organic layer/cathode interface in polymer light-emitting Diodes utilizing	ayer at
poly(9,9-dioctylfluorene-co-benzothiadiazole)	139
<b>A-P23</b> <u>Claire Heck</u> (AIST, Japan) Polarized Electroluminescent Devices Based on Ultra-Thin α-Sexithiophene on Orien $\beta$ -phase Polyfluorene Layers	ted 140
<b>A-P24</b> Xing Feng (Saga University, Japan) Synthesis and Photophysical Properties of Pyrene-Based Light-Emitting Monomers	141
<b>A-P25</b> <u>Huajun Xu</u> (Kyoto University, Japan) Open-Circuit Voltage of Ternary Blend Polymer Solar Cells	142
<b>A-P26</b> <u>Toshinori Matsushima</u> (Japan Advanced Institute of Science and Technology, J Horizontally oriented molecular films for application in organic solar cells	(apan) 143
<b>A-P27</b> <u>Tatsuya Muneishi</u> (NAIST, Japan) Annealing Effect on Light-Emitting FET Characteristics of $\pi$ -Conjugated Liquid Crys Polymer	stalline 144
<b>A-P28</b> Shi-Guang Li (Chiba University/NIST, Japan) THz Absorption by Field-Induced Carriers in Pentacene OFETs	145
A-P29 <u>Takuya Fujimoto</u> (Nagoya University, Japan) Ionic-liquid component dependence of carrier injection and mobility for electric-doub transistors with octathio[8]ciruculene thin films	ole-layer 146
<b>A-P30</b> Masatoshi Kitamura (Kobe University, Japan) Dinaphthothienothiophene Thin-Film Transistors with Aluminum/Molybdenum Oxide Electrodes	e 147
<b>A-P31</b> Shodai Matsuba (Osaka University, Japan) Characteristics of Top-gate-type Organic Field-Effect Transistors Fabricated on Self-organized and Inclined-plane-type Substrates	148
<b>A-P32</b> Yuji Yamagishi (Kyoto University, Japan) Organic transistors with molecularly doped polymer gate buffer layer	149

A-P33 Satoshi Ochiai (NAIST, Japan) Preparation of organic thin film transistor with ideally flat semiconductor/insulator interusing cleaved mica surface  .	face 150
<b>A-P34</b> <u>Masashi Nitani</u> (Osaka University/ISIR, Japan) Development of Solution-Processible n-Type OFFT Materials Based on Carbonyl-Bridg Bithiazole Unit	ged 151
<b>A-P35</b> <u>Takeo Minari</u> (NIMS, Japan) Fully printed organic field-effect transistors using room-temperature deposited Au nanoparticle electrodes .	152
<b>A-P36</b> Masayuki Chikamatsu (AIST, Japan) Photonic Flash Sintering of Nano Silver Ink and its Application to Electrodes of Organic Thin-Film Transistors	c 153
<b>A-P37</b> <u>Hiroshi Yamauchi</u> (Chiba University, Japan) Fabrication of N-Channel and P-Channel Step-Edge Vertical-Channel Transistors by Electro-Spray Deposition .	154
<b>A-P38</b> <u>Ken-ichi Nakayama</u> (Yamagata University, Japan) N-type Metal-Base Organic Transistors Having Thin Collector Layers .	155
<b>A-P39</b> <u>Huie Zhu</u> (Tohoku University/IMRAM, Japan) Ferroelectric Nanocapacitors of Poly(vinylidene fluoride) Langmuir-Blodgett Nanofilms Nonvolatile Memories	s for 156
<b>A-P40</b> <u>Atsushi Fukushima</u> (Kyushu University, Japan) Effects of the polymer molecular weight in organic resistive memory using gold nanopa embedded in a polystyrene layer	rticles
<b>A-P41</b> Shigekazu Ohmori (Kyoto University, Japan) Inter-molecular interaction of fullerene cluster in the electric field .	158
A-P42 Yoshiyuki Nonoguchi (NAIST, Japan) A Semiconductor Mimic for Converting p-type and n-type Single Walled Carbon Nanote Buckypapers by Conjugated Lewis Acids and Bases	ube 159
<b>A-P43</b> Mitsuhiro Ito (NAIST, Japan) Enhanced thermoelectric performance of carbon nanotube/cage-shaped protein nanocomposites	160

Fabrication and Characterization of Nanotube-derived Graphene Nanoribbons with sub Width	o-10 nm 161
<b>A-P45</b> <u>Seiko Uchino</u> (Saga University, Japan) Improvement of Graphene Derivatives for Solvent Affinity by Solution Plasma Process	s 162
<b>A-P46</b> <u>Tetsuji Iyama</u> (Hokkaido University, Japan) Adsorption of Radical Species to Graphene Surface: Density Functional Theory (DFT)	Study 163
<b>A-P47</b> <u>Hiroto Tachikawa</u> (Hokkaido University, Japan) Adsorption and Diffusion of Alkali ion on Boron/Nitrogen Substituted Graphene Nano	flakes
<b>A-P48</b> <u>Kazuhiro Tada</u> (Chitose Inst. of Sci. & Tech., Japan) <i>In Situ</i> Measurement of Photo-Induced Refractive Index Modulation in Azo-Carbazole Doped Polymers	Dye 165
Session B (Fabrication Technique and Characterization)	
<b>B-P1</b> Akira Otomo (NICT, Japan) Fabrication of Efficient Electro-Optic Polymer Waveguides using Cross-Linkable EO Polymers for both Core and Clad Layers	166
<b>B-P2</b> <u>Hitoshi Mizuno</u> (NAIST, Japan) Lasing from Low Dimensional Crystal of n-Type Semiconducting Thiophene/Phenylen	
Co-Oligomer	ie 167
Co-Oligomer <b>B-P3</b> Megumi Dohi (Osaka Kyoiku University, Japan)  Thin-film Ag fuse with a novel structure based on metal deposition modulation on a	167

<b>B-P6</b> Keisuke Kanetaka (Kwansei Gakuin University, Japan)	
Emission Behavior of a Single Quantum Dot-Metal Nanoparticle System - Manipulat	ion of
Metal Nanoparticle Using AFM Probe-	171
B-P7 Kazutaka Tateishi (Kyushu University, Japan)	
Enhanced Photoluminescence from InGaN Quantum Well with Aluminum	172
B-P8 Tomoki Tateishi (Kwansei Gakuin University, Japan)	
Control of the Emission Behavior of a Single CdSe/ZnS Quantum Dot by Plasmon Ge	nerated
on an AFM Tip	173
B-P9 Su Mi Ham (Gachon University, Korea)	
Preparation of Highly Luminescent CdSe Nanoparticles Using Microemulsions	174
B-P10 Eiko Koike (Kwansei Gakuin University, Japan)	
Fabrication of Luminescent Silicon Nanoparticles by the Electrochemical Etching and	by the
Laser Ablation	175
B-P11 Junki Fujii (NAIST, Japan)	
Field Electron Emission from Carbon Nanotube/ZnO Composite Films Prepared by	
Electrodeposition	176
B-P12 Takaaki Inoue (Kobe University, Japan)	
Temperature Dependence of Ferroelectric Properties of the Perpendicularly Oriented	
Vinylidene Fluoride Oligomer	177
B-P13 Yuji Yoritama (University of Hyogo, Japan)	
Three-dimensional magneto impedance sensor using a multi layers electroplating techniques	nique
	178
B-P14 Marvin Herrera (Kyoto University, Japan)	
Photochemical Preparation of Vinylferrocene-terminated Si(111)	179
B-P15 Eisuke Ito (RIKEN, Japan)	
Facile formation of Au(111) terrace from polycrystalline Au surface assisted by alkane	thiol
self-assembled monolayers	180
B-P16 Hungu Kang (Hanyang University, Korea)	
Two-dimensional structure and electronic property of fluorinated- benzenethiol	
self-assembled monolayers on Au(111)	181
B-P17 Mat Nor Bin Muazam Shah (Toyohashi University of Tech., Japan)	
Self-assembly Formed Lipid Membranes on Reduced Graphene Oxides (r-GO) Dependence of the Control	-
the Reduction Degree of r-GO	182

<b>B-P18</b> Shuichi Nagamatsu (Kyutech, Japan) Polymer Ultrathin Film Preparation by Adhering Deposition in Suspension	183
<b>B-P19</b> <u>Yu Gao</u> (Tohoku University, Japan) A Superhydrophobic and Highly Sensitive Dissolved Oxygen Sensor Based on Amph Fluorinated Polymer Film	iphilic 184
<b>B-P20</b> Guoqing Wang (Hokkaido University, Japan) DNA-Templated Self-Assembly of Nanowires with Novel Charge Transport	185
<b>B-P21</b> Jun Matsui (Tohoku University, Japan) Ion conductive Polymer Langmuir-Blodgett Film	186
<b>B-P22</b> Olaf Karthaus (Chitose Inst. Sci. Tech., Japan) Polyaniline Microstructured Films for Sensing Applications	187
<b>B-P23</b> <u>Hiroumi Kinjo</u> (Chiba University, Japan) Photoelectron Yield Spectroscopic Study on Electronic Structure of Volatile Organic Semiconductor Crystals	188
<b>B-P24</b> Tomoya Sato (Chiba University, Japan) Intrinsic and Extrinsic Ionization Energy of Insulating Polymers Studied by High Sen Photoelectron Yield Spectroscopy	sitivity 189
<b>B-P25</b> <u>Takuya Hosokai</u> (Iwate University, Japan) Characterization of aryl-functionalized 2,4,6-tri(2-thienyl)-1,3,5-triazine thin films an application to OFET	nd its 190
<b>B-P26</b> <u>Yukihiro Shimoi</u> (AIST, Japan) Deuteration effects in DSSC dyes: DFT calculations and experiments	191
<b>B-P27</b> Toshimitsu Sato (Yamagata University, Japan) Fabrication and characterization of nanocrystals and layered thin films using $C_{60}$ for cophotovoltaic solar cells	organic 192
<b>B-P28</b> <u>Yasuko Koshiba</u> (Kobe University, Japan) Fabrication and Evaluation of Organic Photovoltaic Cells Using Fluorinated Phthaloc as electron acceptor	yanines 193
<b>B-P29</b> <u>Eiji Itoh</u> (Shinshu University, Japan) Hole-Blocking Nature of Ultrathin Titania Nanosheet layer in Bulk-Heterojunction Of Solar Cells	rganic

<b>B-P30</b> Akito Masuhara (Yamagata University, Japan) Size Control and Characterization of Polyalkylthiophene Nanocrystals	195
<b>B-P31</b> <u>Takeshi Fukuda</u> (Saitama University, Japan) Water dispersible phthalocyanine colloid by reprecipitation method	196
<b>B-P32</b> <u>Kenta Kirimoto</u> (Kitakyushu National College of Technology, Japan) Electrical properties of microcrystalline fullerenol $C_{60}(OH)_{10}$	197
<b>B-P33</b> <u>Katsuki Tanaka</u> (Kwansei Gakuin University, Japan) Photoconversion of Pentacene Diketone Derivatives in Crystalline Phase	198
<b>B-P34</b> <u>Takeshi Watanabe</u> (Iwate University, Japan) Crystal structure of $\alpha$ - $\omega$ -hexyl-distyryl-bithiophene (DH-DS2T) thin films character two dimensional grazing incidence X-ray diffraction	rized by 199
<b>B-P35</b> <u>Atsushi Hyono</u> (Hokkaido University, Japan) In-situ Raman spectroscopy for the lithium electrode surface in the organic solution	200
<b>B-P36</b> Masato Ayano (Kobe University, Japan) Vapor pressure of ionic liquid [EMIM][TF2N] at vacuum	201
Session C (Liquid Crystals, Polymers and Other Soft Materials)	)
C-P1 Ichiro Hirosawa (JASRI, Japan) Thickness of Crystalline Layer of Rubbed Polyimide Film Estimated by Grazing-Incidence X-ray Diffraction  Multi-Angle	e 202
C-P2 Nobutaka Tanigaki (AIST, Japan) Oriented Blend Films of Poly(3-Hexylthiophene) and [6,6]-Phenyl-C <sub>61</sub> -Butyric Acid N Ester Fabricated by Friction Transfer Method	/lethyl 203
C-P3 Koji Yamaguchi (Osaka Kyoiku University, Japan) Selective metal deposition on phase-separated polymer blend surface	204
C-P4 Yue Jia (Kyushu University, Japan) Nonlinear Optical Properties of Norbornene Polymer Brush containing Azobenzene Chromophore	205

C-P5 <u>Yasuaki Sato</u> (Shizuoka University, Japan) Optimal conditions of nonelectrical poling procedure for second order susceptibilities in NLO polymers 206
C-P6 Kazuma Ito (Shizuoka University, Japan) Nonelectrical poling behaviors of nonlinear optical chromophores with different electron accepting moieties 207
C-P7 Norio Tagawa (Tohoku University, Japan) Optical Properties of Photochromic Nanocrystals 208
C-P8 Yasuhiro Ogawa (Osaka University, Japan) Polarization Dependence of Photonic Bandgap of Cholesteric Blue Phase II Deformed by an Applied Electric Field 209
C-P9 Junji Kobashi (Osaka University, Japan) Photo-Tunable Extraordinary Optical Transmission in a Liquid Crystal-Infiltrated Metallic Nanohole Array 210
C-P10 Ryotaro Ozaki (Ehime University, Japan) Large Effective Birefringence of a Ferroelectric Liquid Crystal at Highly Oblique Incidence 211
C-P11 <u>Masahiro Morimoto</u> (Kobe University, Japan) Electrical Properties of Ferroelectric Liquid Crystals on Thermal Phase Transition 212
C-P12 <u>Yusuke Funatsu</u> (Kagawa University, Japan) Electrical properties of ferroelectric liquid crystal bearing a terthiophene moiety 213
C-P13 <u>Hirosato Monobe</u> (AIST, Japan) Carrier Transports and Viscosity of Discotic Liquid Crystalline Photoconductor in the Isotropic Liquid Phase 214
C-P14 <u>Takamitsu Nakagaki</u> (Shizuoka Univ, Japan)  Phase transition-induced changes in the viscosity of the interfacial layers between liquid crystals and a polymer sublayers 215
C-P15 <u>Duong Quoc Toan</u> (National Defense Academy, Japan) Direct orientation of nematic liquid crystal using aligned nanofibers from electrospinning 216
C-P16 Keiji Yokota (Yokohama National University, Japan) Study on morphology of three-component lipid membranes formed by self-spreading method 217

C-P17 Naoya Kanetada (Yamaguchi University, Japan) Adsorption-Aggregation Equilibria of Water Soluble Porphyrins Adsorbed on the Tungsten Oxide Colloid Surface: Effect of Peripheral Substituents 21	.8
Session D (Biomolecular Electronics and Bioanalysis)	
<b>D-P1</b> <u>Yoshiaki Okamoto</u> (Toyohashi University of Tech., Japan) Single molecule observation of lipid bilayers on graphene oxide 21	9
<b>D-P2</b> Guewha Steven Huang (NCTU, Taiwan) Fabrication of protein transistor: effects of topology, temperature, and pH on the binding affinity at molecular junctions 22	20
<b>D-P3</b> <u>Takeshi Tajiri</u> (Tokushima University, Japan) Microsphere optical biosensor for β-Galactosidase detection 22	21
<b>D-P4</b> <u>Yuhki Yanase</u> (Hiroshima University, Japan) Visualization of individual cell activation by means of SPR imaging 22	:2
<b>D-P5</b> <u>Shuhei Shinohara</u> (Kyushu University, Japan) Fluorescence enhancement produced by Ag nanoparticle 2D sheets 22	!3
<b>D-P6</b> <u>Daisuke Tanaka</u> (Kyushu University, Japan) Improved angular sensitivity of SPR sensors by use of self-assembled Ag nanoparticle top coating 22	24
<b>D-P7</b> <u>Sayuri Ooiwa</u> (Kyushu University, Japan) Local Surface Plasmon Filed-Enhanced Fluorescence on Au Nanoparticle Sheet 22	!5
<b>D-P8</b> <u>Kenji Sakamoto</u> (Kyushu Institute of Technology, Japan)  The effective micro-isolation column for allergic diagnostic chip 22	:6
<b>D-P9</b> <u>Tsuyoshi Kuno</u> (Nagoya University, Japan) Optimization of Microelectrode and Circuit for Amperometric Electrochemical Sensor Array 22	
<b>D-P10</b> Eiji Usukura (Kyushu University, Japan) Fluorescence enhancement by 2D nanoparticle sheet 22	
<b>D-P11</b> <u>Yuki Hamasaki</u> (Kyushu University, Japan)	

... 229

Anionic Effects during the Redox reactions of Au-Ag core-shell nanorods

<b>D-P12</b> Eun Ah Choi (Gachon University, Korea)	
ZnSe-Ferritin Nanodots as a Sensor Media for Neurotransmitters	230
D-P13 Kengo Ogawa (FINE CRYSTAL Co.,Ltd., Japan)	
Highly Sensitive Analysis of Glutathione and Glutathione S-transferase Reaction in Li	quid
Phase using Surface Acoustic Wave Biosensors	231
D-P14 Yoshiaki Kashimura (NTT Basic Res. Labs., Japan)	
Dynamics of lipid bilayer self-spreading under an electric field applied to a metallic na	nogate 232
<b>D-P15</b> <u>Urara Sugimoto</u> (Hiroshima University, Japan)	
Study of low cost material for micro analysis chip	233
<b>D-P16</b> <u>Yasutaka Matsuo</u> (Hokkaido Univerrsity, Japan)	
Detection of herbal medicine ingredient by Surface Enhanced Raman scattering Spectr	roscopy
	234
<b>D-P17</b> Yoshihiro Haruyama (Advanced ICT Research Institute, NICT, Japan)	
Patterning of purple membrane thin films by UV inactivation	235
<b>D-P18</b> Aya Tanaka (NTT Basic Res. Labs., Japan)	
Fabrication of a cytoskeleton-mimetic structure array on a silicon substrate	236
<b>D-P19</b> Norimitsu Wakama (NAIST, Japan)	
A polarization-analyzing CMOS image sensor with metal wire grid in 65-nm standard	CMOS
technology for in-situ chiral analysis	237
<b>D-P20</b> <u>Tomohiro Hayashi</u> (Tokyo TECH, Japan)	
Surface force analysis of nonionic and zwitterionic nonfouling self-assembled monolar	yers 238
<b>D-P21</b> Yuhei Terada (Kyushu University, Japan)	
Sugar-incorporating polymer nanoparticles for biosensing using structural color	239
<b>D-P22</b> Shigeaki Abe (Hokkaido University, Japan)	
Photoluminescent ceramics nanoparticles for bio-imaging probe	240
D-P23 Shuhei Yoshino (Tohoku University, Japan)	
High Efficient bioelectrocatalysis by Ordered Molecular Assembly inside Carbon Nan-	otube
Forests	241
D-P24 <u>Hiroki Suzuki</u> (Akita University, Japan)	
Pine Pollen Sensing Using Fatty Acid and 7-hydroxy-4-methylcoumarin on Hydrogena	ated
Amorphous Silicon Film on QCM Sensor	242

### **Session E ([Special Session] Organic Photovoltaics)**

E-P1 Jong Baek Park (Pusan National University, Korea)	
Organic Photovoltaic Devices Fabricated Using New Conjugated Polymers Consisting	g of
Alkoxy- or Alkylselenophene-Substituted Benzodithiophene and Thiophene Units	243
E-P2 <u>Takahiro Kono</u> (AIST, Japan)	
Synthesis, Photo-Electrochemical Properties, and OPV Performance of Novel Push-Properties, and OPV Performance of Novel Push-Properties (Novel Push-Properties).	ull
Chromophores Having a Carbazole Moiety	244
E-P3 Seung Ah Shin (Pusan National University, Korea)	
Synthesis and Characterization of 2,1,3-Benzoselenadiazole-Based Conjugated Polym	er for
Organic Photovoltaic Cells	245
E-P4 Shinya Ikeda (Nara Institute of Science and Technology, Japan)	
Syntheses and Photovoltaic Properties of Anthracene-Thiophene Oligomers Using	
Photo-Convertible Soluble Precursors	246
E-P5 On You Park (Pusan National University, Korea)	
P3HT-Based Bulk-Heterojunction Polymer Solar Cells Fabricated Using a Non-Fuller	ene
Type Electron-Accepting Molecule	247
E-P6 Shogo Noda (NAIST, Japan)	
Bulk-Heterojunction Photovoltaic Cells Doped with P3HT-Wrapped Single-Walled Ca	arbon
Nanotubes	248
E-P7 Shiori Kanto (NAIST, Japan)	
Bright-Color Organic Photovoltaic Devices Using Benzothieno-Benzothiophenes for	
Room-Ambient Energy Harvesting	249
E-P8 Ichiko Yamada (Suzuka National College of Technology, Japan)	
Morphology and Solar Cell Performance of Fluorinated Phthalocyanines	250
E-P9 <u>Hironori Ogata</u> (Hosei University, Japan)	
Solvent Dependence of the Morphology and Photovoltaic Properties of Organic Solar	Cells
with Azaacene Derivatives	251
E-P10 Toshihiko Kaji (IMS, Japan)	
Photocurrent Improvement in Organic Solar Cells with Various Acceptors by Utilizing	9
Co-Evaporant Induced Crystallization	252

<b>E-P11</b> <u>Takanori Okukawa</u> (Nihon University, Japan) Bulk-Heterojunction Solar Cells Fabricated Using Two Donors of P3HT and Phenyler Thiophene Oligomer Derivative	ne- 253
<b>E-P12</b> <u>Kohei Ueda</u> (Kyushu University, Japan) Ternary Blend Active Layer Composed of Two Donor Polymers in Bulk Heterojunctic Organic Photovoltaic Cells	on 254
<b>E-P13</b> <u>Takaya Ito</u> (AIST, Japan) Morphological Changes in PCDTBT/PCBM Active Layers for Polymer Solar Cells by Thermal Annealing	255
E-P14 Shinji Hagio (Kyushu University, Japan) Structure Control of All-Polymer Organic Photovoltaic Cells by Evaporative Spray Deposition Using Ultradilute Solution Technique	256
<b>E-P15</b> <u>Takamichi Shinohara</u> (Graduate School of Engineering, Kyushu University, Jap Precise Characterization of Molecular Aggregation State and 'Buried' Nano-Structure Ordered Heterojunction Organic Photovoltaics	
E-P16 Quang-Duy Dao (Osaka University, Japan) Effects of Processing-Additive Solvents on Photovoltaic Efficiency of Mesogenic-Phthalocyanine Solar Cells	258
<b>E-P17</b> <u>Takuya Hibino</u> (Shizuoka University, Japan) Formation of Higher Order Structures in Binary Organic Thin Films Prepared by a Solution-Cast Technique	259
E-P18 Rintaro Higuchi (Kumamoto University, Japan) Aromatic Poly(azomethine)-Based Photovoltaic Cells Prepared by Chemical Liquid Deposition	260
E-P19 Shenghao Wang (University of Tsukuba, Japan) Chemical Interaction at the Interface Between Bathocuproine and Mg	261
E-P20 <u>Hiroyuki Matsuzaki</u> (AIST, Japan) Ultrafast Absorption Spectroscopy of Organic Solar Cells Utilizing a Diketopyrrolopy Polymer	rrole 262
E-P21 <u>Yosei Shibata</u> (Tokyo Institute of technology, Japan) Analysis of Carrier Transport Properties of Co-Deposited Films Based on Terminally-Modified Oligothiophene for Organic Photovoltaics	263

<b>E-P22</b> <u>Yoshinori Aoyama</u> (Tokyo Institute Tech, AIST, Japan) Direct Effect of Photooxidized Poly(3-hexylthiophene) on the Device Characteristics in bulkhetero junction Solar Cell 2	!64
<b>E-P23</b> <u>Pipat Ruankham</u> (Kyoto University, Japan)  Fine Tuning of Morphologies of Nanostructured ZnO and Interface of ZnO/Polymer for Hybrid Solar Cells 2	265
<b>E-P24</b> <u>Cheah Li Leow</u> (Research Center for Solar Energy Chemistry, Osaka University, Japan)	
Organic/Inorganic Hybrid Solar Cells with ZnO Nanostructures Prepared by Chemical Solution Methods 2	!66
<b>E-P25</b> <u>Teng Ma</u> (RIEC, Tohoku University, Japan) Surface Modification for Titania/Polymer Hybrid Solar Cells 2	!67
<b>E-P26</b> <u>Jaehoon Lim</u> (Seoul National University, Korea)  Precise Control of the Crystal Structure and Kinetic Behavior of CdSe Tetrapods for High Morphological Uniformity 2	!68
<b>E-P27</b> Ryota Kojima (RIEC, Tohoku University, Japan) Influence of Electrolyte Composition on Anodization Process of Titanium Films 2	!69
<b>E-P28</b> <u>Taichiro Morimune</u> (Kagawa National College of Technology, Japan) Environment Friendly Solar Cells Based on Cu <sub>2</sub> ZnSnS <sub>4</sub> /C <sub>60</sub> 2	270
<b>E-P29</b> Naoto Matsuyama (Osaka University, Japan) Organic Photovoltaic Cells Using Poly( <i>N</i> -isopropylacrylamide) (PNIPAM) as a Cathode Buffer Layer 2	271
<b>E-P30</b> <u>Kannappan Santhakumar</u> (Aichi Institute of Technology, Japan)  Comparison of Polymer Organic Solar Cells Using Highly Conductive Modified PEDOT:P  Films Prepared through Spin and Spray Coating Method 2	